ಕರ್ನಾಟಕ ವಿಧಾನ ಪರಿಷತ್ತು

ಚುಕ್ಕೆ ಗುರುತಿನ ಪ್ರಶ್ನೆ ಸಂಖ್ಯೆ : 602
ಸದಸ್ಯರ ಹೆಸರು : ಶ್ರೀ ಎನ್.ರವಿಕುಮಾರ್
(ವಿಧಾನ ಸಭೆಯಿಂದ ಚುನಾಯಿತರಾದವರು)
ಉತ್ತರಿಸಬೇಕಾದ ದಿನಾಂಕ : 04.03.2021
ಉತ್ತರಿಸುವ ಸಚಿವರು : ಗೃಹ ಸಚಿವರು.

ಕ್ರ.ಸ	ವಿಷಯ	ಉತ್ತರ
ಅ	ಗಣಿಗಾರಿಕೆಗೆ ಬಳಸುವ ಜಿಲೆಟಿನ್ ಕಡ್ಡಿ, ಡೈನಮೈಟ್ ಸೇರಿದಂತೆ ಸ್ಫೋಟಕಗಳನ್ನು ಮಾರಾಟ ಮಾಡಲು ಎಷ್ಟು ಮಾರಾಟಗಾರರಿಗೆ ಅನುಮತಿ ನೀಡಲಾಗಿದೆ; ಅನುಮತಿ ನೀಡಲು ಇರುವ ಮಾನದಂಡಗಳೇನು; ಜಿಲ್ಲೆಯಲ್ಲಿ ಈ ವ್ಯವಹಾರಕ್ಕೆ ಅನುಮತಿ ನೀಡುವ ಸಕ್ಷಮ ಅಧಿಕಾರಿ ಯಾರು;	ಗಣಿಗಾರಿಕೆಗೆ ಬಳಸುವ ಜಿಲೆಟಿನ್ ಕಡ್ಡಿ, ಡೈನಮೈಟ್ ಸೇರಿದಂತೆ ಸ್ಫೋಟಕಗಳನ್ನು ಮಾರಾಟ ಮಾಡಲು ಪೊಲೀಸ್ ಇಲಾಖೆಯಿಂದ ಅನುಮತಿ ನೀಡಲಾಗುವುದಿಲ್ಲ. ಈ ಬಗ್ಗೆ ಭಾರತ ಸರ್ಕಾರವು ಎಕ್ಸ್‌ಪ್ಲೋಸೀವ್ಸ್ ಕಾಯ್ದೆ-1884 ಮತ್ತು ಎಕ್ಸ್‌ಪ್ಲೋಸೀವ್ಸ್ ರೂಲ್ಸ್-2008ರನ್ವಯ ಅನುಮತಿ ನೀಡುವ ಪ್ರಾಧಿಕಾರವಾಗಿದೆ. ಅನುಮತಿ ನೀಡುವ ಸಕ್ಷಮ ಅಧಿಕಾರಿಗಳ ವಿವರ ಈ ಕೆಳಕಂಡಂತಿದೆ: 1. 500 ಕೆ.ಜಿ. ವರೆಗೆ – ಡೆಪ್ಯೂಟಿ ಚೀಫ್ ಕಂಟ್ರೋಲರ್ ಆಫ್ ಎಕ್ಸ್‌ಪ್ಲೋಸೀವ್ಸ್, ಮಂಗಳೂರು. 2. 501 ರಿಂದ 50000 ಕೆಜಿ– ಜಾಯಿಂಟ್ ಚೀಫ್ ಕಂಟ್ರೋಲರ್ ಆಫ್ ಎಕ್ಸ್‌ಪ್ಲೋಸೀವ್ಸ್, ಚೆನ್ನೈ. 3. 50000 ಕೆಜಿ ಮೇಲ್ಪಟ್ಟು–ಚೀಫ್ ಕಂಟ್ರೋಲರ್ ಆಫ್ ಎಕ್ಸ್‌ಪ್ಲೋಸೀವ್ಸ್, ನಾಗಪುರ್.
ಆ	ಬೆಂಗಳೂರು ನಗರದಲ್ಲಿ ಕಳೆದ ಎರಡು ವರ್ಷಗಳಲ್ಲಿ ಜಿಲೆಟಿನ್ ಕಡ್ಡಿ, ಡೈನಮೈಟ್ ಸೇರಿದಂತೆ ಸ್ಫೋಟಕಗಳನ್ನು ಮಾರಾಟಗಾರರು ಯಾವ ವ್ಯಕ್ತಿಗಳಿಗೆ ಮಾರಾಟ ಮಾಡಿದ್ದಾರೆ;	ಬೆಂಗಳೂರು ನಗರದಲ್ಲಿ ಜಿಲೆಟಿನ್ ಕಡ್ಡಿ, ಡೈನಮೈಟ್ ಸೇರಿದಂತೆ ಸ್ಫೋಟಕಗಳ ಮಾರಾಟಗಾರರು ಇರುವುದಿಲ್ಲ.
ಇ	ಜಿಲೆಟಿನ್ ಕಡ್ಡಿ, ಡೈನಮೈಟ್ ಸೇರಿದಂತೆ ಸ್ಫೋಟಕಗಳನ್ನು ಸಂಗ್ರಹಿಸಿ ಇಡಲು ತೆಗೆದುಕೊಳ್ಳಬೇಕಾದ ಮುಂಜಾಗ್ರತಾ ಕ್ರಮಗಳೇನು; ಈ ವಸ್ತುಗಳ ಮಾರಾಟಗಾರರು ಮುಂಜಾಗ್ರತಾ ಕ್ರಮಗಳನ್ನು ತೆಗೆದುಕೊಂಡಿರುವ ಬಗ್ಗೆ ಪರಿಶೀಲಿಸುವ ಅಧಿಕಾರ ಯಾರಿಗಿದೆ?	ಜಿಲೆಟಿನ್ ಕಡ್ಡಿ, ಡೈನಮೈಟ್ ಸೇರಿದಂತೆ ಸ್ಫೋಟಕಗಳನ್ನು ಸಂಗ್ರಹಿಸಿ ಇಡಲು ತೆಗೆದುಕೊಳ್ಳಬೇಕಾದ ಮುಂಜಾಗ್ರತಾ ಕ್ರಮಗಳನ್ನು ಇದರೊಂದಿಗೆ ಲಗತ್ತಿಸಿದೆ. ಎಕ್ಸ್‌ಪ್ಲೋಸಿವ್ ರೂಲ್ಸ್ 2008ರ ನಿಯಮಗಳಂತೆ ಮಾರಾಟಗಾರರು ಮುಂಜಾಗ್ರತಾ ಕ್ರಮಗಳನ್ನು ತೆಗೆದುಕೊಂಡಿರುವ ಬಗ್ಗೆ ಪರಿಶೀಲಿಸುವ ಅಧಿಕಾರ ಈ ಕೆಳಕಂಡ ಅಧಿಕಾರಿಗಳಿಗೆ ಇರುತ್ತದೆ. **ಪ್ರಾಧಿಕಾರ** — **ವ್ಯಾಪ್ತಿ** ದ ಚೀಫ್ ಕಂಟ್ರೋಲರ್ ಅಥವಾ ಕಂಟ್ರೋಲರ್. — ಭಾರತದಾದ್ಯಂತ ಎಲ್ಲಾ ಡಿಸ್ಟ್ರಿಕ್ಟ್ ಮ್ಯಾಜಿಸ್ಟ್ರೇಟ್ಸ್ — ಸಂಬಂಧಪಟ್ಟ ಜಿಲ್ಲೆಯ ವ್ಯಾಪ್ತಿ ಎಲ್ಲಾ ಎಕ್ಸಿಕ್ಯೂಟೀವ್ ಮ್ಯಾಜಿಸ್ಟ್ರೇಟ್ಸ್ ಸಬಾರ್ಡಿನೇಟ್ ಟು ದಿ ಡಿಸ್ಟ್ರಿಕ್ಟ್ ಮ್ಯಾಜಿಸ್ಟ್ರೇಟ್. — ಸಂಬಂಧಪಟ್ಟ ಜಿಲ್ಲೆಯ ವ್ಯಾಪ್ತಿ

		ಎಲ್ಲಾ ಪೊಲೀಸ್ ಆಯುಕ್ತರು ಅಥವಾ ಸಬ್-ಇನ್ಸ್‌ಪೆಕ್ಟರ್ ಆಫ್ ಪೊಲೀಸ್ ದರ್ಜೆಗಿಂತ ಮೇಲ್ಪಟ್ಟ ಅಧಿಕಾರಿಗಳು	ಸಂಬಂಧಪಟ್ಟ ಜಿಲ್ಲೆಯ ವ್ಯಾಪ್ತಿ
		ದಿ ಡೈರೆಕ್ಟರ್ ಜನರಲ್ ಆಫ್ ಮೈನ್ಸ್ ಅಥವಾ ಅವರ ಕೈಕೆಳಗಿನ ಅಧಿಕಾರಿಗಳು.	ಸಂಬಂಧಪಟ್ಟ ಜಿಲ್ಲೆಯ ವ್ಯಾಪ್ತಿ

ಹೆಚ್‌ಡಿ 60 ಕೆಎಎ 2021

(ಬಸವರಾಜ ಬೊಮ್ಮಾಯಿ)
ಗೃಹ ಸಚಿವರು

Guidelines for Safe Inspection of Explosives Magazines/Vans

Introduction:

An explosive is a substance or a mixture of substances, when initiated suitably results in violent release of energy in the form of a shock wave, accompanied by extremely rapid conversion of the explosive into a large volume of gases at high temperature and pressure. Mishandling of explosives by subjecting them to undue spark, flame, shock, impact, friction and static charge may also lead to their initiation resulting in accident. Every individual associated with explosives has to take due care, while handling explosives and adhere to the provisions and regulations stipulated under Explosives Rules, 2008, in the interest of personal and public safety.

Safe Inspection of Explosives Magazines:

1. The following persons are authorized to carry out inspection, under Rule 128 of Explosives Rules, 2008.

Officer	Area of Jurisdiction
The Chief Controller and Controller of Explosives	All parts of India
All District Magistrates	Their respective jurisdiction
All Executive Magistrates Subordinate to the District Magistrate	Their respective jurisdiction
All Commissioners of Police and Police Officers of rank not below that of a Sub-Inspector of Police	Their respective jurisdiction
The Director General of Mines or Officers subordinate to him	Their respective jurisdiction

2. Persons entering the magazine should not carry Cellular Phones, Pagers, Wireless Instruments, Cigarettes, Matches, Lighters, Knives, other Articles made of Iron/Steel, Substances of Flammable Nature liable to spontaneous ignition or to cause/communicate fire/explosion such as Acids, Petroleum, Calcium Carbide & Compressed Gases.
3. Storage/existence of the above mentioned items and smoking should also be avoided within the 15 mts of radius of Explosives Magazine.
4. While entering into the magazine, the person should dip his overshoes/feet in water provided in the cemented trough located at the entrance of the magazine to avoid carrying sand/grid/dust inside the magazine.
5. Use of Boots/Shoes with exposed nails or shod at the base should be strictly avoided inside the magazine.
6. Numbers of person entering into the magazine should not exceed 2 Nos. during inspection.
7. Prior to inspection, magazine shall be well ventilated by opening the windows and doors for at least 10 min.
8. Operation/inspection of magazines should be avoided, whenever a thunderstorm appears to be imminent in the vicinity of a magazine. On such occasion, every person engaged in such magazine

should be withdrawn to a safe distance and such magazine should be kept closed & locked until the thunderstorm has ceased.

9. Person who has not completed the age of 18 years, person in a state of intoxication and person who is of unsound mind should not be taken inside the magazine.

10. Routine inspections of Explosives Magazines should be carried out only between the hours of sunset and sunrise.

11. In case of opening explosives boxes, the opening tool must be of wood, brass, copper or bronze, since use of tools made of iron is prohibited.

12. During inspection, the packages containing the explosives should not be thrown or dropped down or rolled or pulled along the ground or floor but shall be passed from hand to hand carefully.

13. Where a package is to be slung, due precaution should be taken to slung it in such a manner as effectively to prevent the possibility of a fall.

14. Packages containing explosives should not be allowed to remain in the sun or exposed to excessive heat, during inspection.

15. During physical examination of explosives:

    a) Avoid use of Wristwatch and Rings.

    b) Use non-synthetic dress materials; i.e., ideally cotton.

    c) Be on bare foot or with boot made up of conducting rubber.

16. The explosives products namely: *Gunpowder; Slurry/Emulsion Explosives Cartridges; Boosters, Safety Fuse and Detonating Cord* shall be stored together in one room of the magazine.

17. Detonators should never be stored along with the above-mentioned explosives. Detonators shall be stored in a separate room of the same magazine separated by an air gap of 1.5 mt followed by concrete/brick wall of thickness not less than 60 cm.

Safe Inspection of Explosives Vans:

1. The explosives van should be stationed in a non-congested location during inspection, where the public safety is not endangered.

2. When a convoy of two or more vans carrying explosives is inspected, they should not be stationed together for inspection.

3. When an explosives van containing explosives need to be parked over night due to the reasons beyond control, the same to be communicated by the Driver to the nearest police station and the premises in which the van is parked—

    (a) Should not have any source of open flame or any substance or article likely to cause explosion or fire.

    (b) Should be away from any habitation or any godown containing articles of a flammable nature or other hazardous goods.

4. If any fire occurs on a vehicle containing explosives, all other traffic should be stopped at least 300 meters from the vehicle and that all persons in the vicinity should be warned of the danger.

5. A van transporting explosives is involved in an accident, fire or any other occurrence, which causes a significant delay in the delivery of explosives or damage to the vehicle or explosives

   a) The laws relating to road accidents shall be complied with

   b) The JtCCE/DyCCE/CE in whose jurisdiction the accident has taken place shall be intimated giving the full details of explosives carried and accident

   c) Explosives shall be kept under safe storage and custody till a examination by the JtCCE/DyCCE/CE if required, and then transported to the destination or place designated by the JtCCE/DyCCE/CE.

6. In case of a breakdown of van carrying explosives, where major repairs are required, prevent such repairs should be made until the explosives are transferred to another van or are removed from the vehicle and stored under proper security at a safe distance from the highway and at least 300 meters from any inhabited premises, under intimation to the JtCCE/DyCCE/CE in whose jurisdiction the incident has taken place.

7. Use of Boots/Shoes with exposed nails or shod at the base should be strictly avoided inside the explosives van.

8. Persons inspecting vans carrying explosives should not carry Cellular Phones, Pagers, Wireless Instruments, Cigarettes, Matches, Lighters, Knives, other Articles made of Iron/Steel, Substances of Flammable Nature liable to spontaneous ignition or to cause/communicate fire/explosion such as acids, Petroleum, Calcium Carbide & Compressed Gases.

9. During physical examination of explosives carried in a van:

   a) Avoid use of Wristwatch and Rings.

   b) Use non-synthetic dress materials; i.e., ideally cotton.

   c) Be on bare foot or with boot made up of conducting rubber.

10. In case of handling of explosives from a van, no bale hooks or other metal tools should be used for the loading, unloading or handling of packages containing explosives. On such events, the loading/unloading/handling of explosives in the explosives van is commenced, the operation should not be stopped until completed and shall be completed as expeditiously as possible.

11. Packages containing explosives should not be allowed to remain in the sun or exposed to excessive heat, during inspection.

12. Detonators should never be transported along with the any other explosives.

13. Explosives should not be transported in any towed vehicle or tow any vehicle transporting explosives.

****